

T6N

R6E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N° VI North Range N° VI East of 2<sup>nd</sup> Meridian.

Surveyed by Jacob Fowler 1807.  
B.F. Morris 1819.

Description of the Soil on the interior Sectional lines.

between Sections	Quality &c.	between Sections	Quality &c.	between Sections	Quality &c.
33.36	W.L. bottom - ash. Maple &c.	29.32	Beech, Poplar, ash & Oak	9.10	Level rich land - Beech, Poplar &c.
23.36	Part bottom Part upland - Beech, Poplar &c.	23.26	Part bottom Part upland - Beech, Poplar &c.	3.10	ditto
34.35	ditto	24.25	ditto	2.3	ditto
26.35	ditto	25.24	ditto	2.11	ditto
25.20	Swamp	13.24	ditto	1.12	ditto
33.34	Low Ridge - Beech ash &c.	12.13	ditto	1.2	ditto
27.28	ditto	22.23	Level rich land - Beech, Poplar &c.	33.30	ditto
14.15	ditto	21.22	ditto	14.11	Beech, Poplar, Maple &c.
15.18	ditto	20.21	ditto	1.30	Good farming land
10.11	ditto	19.20	ditto	2.35	Same - Oak, Birch & Poplar
17.34	Level - Beech, Oak, ash &c.	18.19	ditto	3.4	Level 2 <sup>nd</sup> rate - Beech, Poplar &c.
26.27	ditto	17.20	ditto	4.9	Swampy - Willow, Elm &c.
27.33	ditto	16.21	ditto	8.17	Level 2 <sup>nd</sup> rate - Beech, Sugar &c.
28.33	ditto	22.25	ditto	7.18	Part cleared land - part pasture
31.32	ditto	14.25	ditto	7.8	Rolling 2 <sup>nd</sup> rate land
29.29	ditto	13.24	ditto	5.8	Swampy - Maple, Gum &c.
30.31	ditto	10.17	ditto		
29.30	ditto	15.16	ditto		
15.30	ditto	23.28	ditto		
20.29	ditto	8.0	ditto		
2.28	ditto	9.16	ditto		
22.27	ditto	10.15	ditto		







Township. N<sup>o</sup> 6 North Range. N<sup>o</sup> 6 East of the Meridian.

North Sections 35 & 36.

2.15 M. Oak 36.

40.00  $\frac{1}{2}$  mile post - Gum 24. S<sup>o</sup> 27 W. 3 - M. Oak 33. S<sup>o</sup> 34 W. 31 links.

50.00 Swamp to the post.

64.11 Oak 16.

80.00 Mile in Swamp - Maple 12. S<sup>o</sup> 77 W. 11 - Maple 20. S<sup>o</sup> 49 E. 21 -

Wet Bottom - Ash, Maple, Oak & Elm.

East. Sections 25 & 36 Random.

27.50 Swamp.

40.00 Tem. post.

70.00 Branch 10 N. 30 W.

79.30 3.22 North.

West. True line Blazed.

84.65  $\frac{1}{2}$  mile post - Beech 24. N 23 W 19 - Beech 10. S 46 E 17 links - Ash.

Maple & Elm in the Bottom - Beech & Poplar on the upland.

North Sections 34 & 35.

30.50 Wet Bottom.

40.00  $\frac{1}{2}$  mile post - Poplar 30. N 89 W. 8 - Beech 18. N 84 E 25 links.

50.10 Beech 24.

80.00 Mile post - Beech 24. N 73 E 20 - Beech 10. S 12 W 21 links - Maple, Elm & Oak in the Bottom - Beech, Poplar & Oak on the upland.

East. Sections 26 & 35 Random.

40.00 Tem. post.

44.50 Swamp to the post.

79.00 20 N of post.

West. True line Blazed.

Township. N<sup>o</sup> 6 North Range. N<sup>o</sup> 6 East of the Meridian Continued

39.52  $\frac{1}{2}$  mile post - Beech 20. N 24 W. 25 - Beech 10. S 31 E 20 links - Maple - Elm & Oak in the Swamp - In the upland Beech, Poplar & Oak.

North Sections 23 & 26 - This mile is all swamp - it is fed by several streams of water putting into it - It is part brushy - and part timbered with maple, ash, Elm & Gum - The soil is a black mud.

November 24<sup>th</sup> 1806.

North Sections 33 & 34.

6.50 Wet Bottom.

8.00 Branch 23 E.

15.00 Large Poplar & Beech.

40.00  $\frac{1}{2}$  mile post - Ash 20. S 12 W 24 - Beech 12. S 19 E 22.

49.75 Spring Branch E.

73.25 Beech 22.

80.00 Mile post - Beech 10. S 57.30 W 27 - Beech 10. S 76 E 27 links - Low bridges Beech, Ash, Sugar tree, Walnut & Poplar.

East. Sections 27 & 34 Random.

40.00 Tem. post.

80.08 60. S of post.

West. True Line Blazed.

40.04  $\frac{1}{2}$  mile post - Beech 12 N 16 E 10 - Beech 2. S 29 W 28 links - Level, Beech Oak, Ash & Poplar.

North Sections 26 & 27.

21.12 Poplar 48.

27.00 18.50 Wet Bottom.

31.50 Branch 30. S 70 E.

40.00  $\frac{1}{2}$  mile post - Gum 14. S 10 E 10 - Elm 13 N 35 E 14 links.



Township N<sup>o</sup> 1 North Range N<sup>o</sup> 1 East of the Meridian Continued

83.55 Beech 18.

63.75 Branch 6. S. 30 E.

80.00 Mile post - Beech 13. S. 7 W 8 - Beech 12 N 20 E 16 links - Level - Beech, Poplar, Oak & Ash.

North Sections 32 & 33.

29.00 Swampy E.

32.75 Branch 12 E.

37.62 Branch 12. S. 30 E - and up it through Swampy Bottoms to the Mile post.

80.00 Mile post - Oak 12. S. E 10 - Beech 10 N 12 W 21 links - Level - Beech, Poplar, Ash & Oak.

West - Sections 28 & 33 Random.

40.00 Ten. post.

26.28 Branch 8. S.

37.00 Branch 6. S.

72.00 Met the post.

West. True line Blazed.

39.75  $\frac{1}{2}$  Mile post - Beech 10 N 87 W 23 - Beech 10. S. 77 E 22 links - Level - Beech, Poplar, Ash & Oak.

North Sections 27 & 28.

40.00  $\frac{1}{2}$  Mile post - Beech 15. S. 89 E 11 - Beech 15 N 65 W 20 links.

49.50 10:50 Met Bottom.

33.25 Branch 16. S. 30 E.

67.90 W. Oak 30.

80.00 Mile post - Beech 20 N 65 E 12 Sugar tree 32. S. 38 links Low ridges  
Rich - Beech, Poplar, Walnut, Ash, Oak & Sugar tree.

North Sections 31 & 32.

Township N<sup>o</sup> 6 North Range N<sup>o</sup> 6 East of the Meridian Continued.

20.50 W. Oak 18.

40.00  $\frac{1}{2}$  Mile post - Beech 10. S. 61 E 11 - Beech 9 N 61 W 12 links -

74.00 Beech 20.

80.00 Mile post - Beech 12. S. 80 E 16 - Beech 20. S. 52 W 32 links - Level - Beech, Oak, Poplar, Gum & Elm.

East. Sections 29 & 32 Random.

40.00 Ten. post.

79.00 Branch 12. S.

79.50 60 N of post.

West. True line Blazed.

39.75  $\frac{1}{2}$  Mile post - Beech 30 S 61 E 9 - Beech 12. S. 36 W 25 links - Beech, Poplar, Oak & Oak.

November 25<sup>th</sup> 1806.

North Sections 28 & 29.

11.25 Branch 12. S. 30 W.

33.00 Beech 30.

40.00  $\frac{1}{2}$  Mile post - Beech 20. S. 89 W 16 - Beech 20. S. 56 E 25 links.

51.75 Beech 25.

80.00 Mile post - Beech 10. S. 26 E 15 - Poplar 16 S 59 E 18 links - Level - Beech, Poplar, Gum & Ash & Elm.

West. Sections 31 & 30.

27.62 W. Oak 60.

40.00  $\frac{1}{2}$  Mile Post - Gum 30. S. 32 W 13 - Beech 10 N 54 W 15 links.

72.50 W. Oak 40.

75.70 2:40 N of Beech in the place of a post - Hickory 12 S 30:30 E 25 - W. Oak 13. S. 21 E 5 - Level Gum, Maple, Beech & Oak.



Township 126 North Range 1st East of the Meridian Continued

North Sections 29 & 30.

6.50 Beech 20.

20.00  $\frac{1}{2}$  Mile Post - Beech 10 N 63 W 19 - Beech 10 S 23 W 21 links.

63.78 Beech 22.

80.00 Mile Post - Beech 23 S 73 W 17 - Beech 14 N 76 E 19 links - Level - Beech  
Ash, Poplar, Gum, Oak & Maple.

West. Sections 19 & 20

28.50 Beech 36.

40.00  $\frac{1}{2}$  Mile Post - Beech 24 N 65 W 17 - Beech 14 N 27 E 28 links.

73.68 4:32 E of Post - Oak 22 S 45 E 6 - Elm 10 N 20 E 16 - Level - Maple,  
Beech, Gum, Oak & Poplar.

East. Sections 20 & 29 Random.

40.00 Tenn. Post.

79.00 1st the Post.

West. True line Blazed.

39.50  $\frac{1}{2}$  Mile Post - Maple 24 N 40 W 19 - Maple 18 S 48 E 36 links -  
Level - Beech, Poplar & Oak.

East. Sections 21 & 22 Random.

22.75 Branch 6 S 40 E.

40.00 Tenn. Post.

43.00 Branch 8 N 60 E.

64.50 9:00 Bottom Wet.

76.50 Branch 2 S 9.

77.00 Intersected 70 E.

West. True line Blazed

39.50  $\frac{1}{2}$  Mile Post - Beech 2 N 48 W 20 - Beech 16 S 87 E 35 - Beech, Poplar & Oak.

Township 126 North Range 1st East of the Meridian Continued

East. Sections 22 & 29 Random.

40.00 Tenn. Post.

43.50 Branch 8 S 7

80.20 12 S of Post.

West. True line Blazed.

40.00  $\frac{1}{2}$  Mile Post - Oak 16 N 22 W 15 - Beech 10 S 7 W 10 links - Level - Rich Land  
Beech, Poplar, Oak & Hickory & Oak.

November 26<sup>th</sup> 1806.

East. Sections 23 & 26.

21.12 Branch 3 S 5.

40.00  $\frac{1}{2}$  Mile Post -

200 S 36 E 7 links Beech 10 S 83 W 23 links.

59.50 Swamp to the Post.

80.00 Mile Post - Maple 14 S 42 E 24 - Maple 20 N 32 W 12 links - Maple, Oak  
& Hickory  
& Elm in the Swamp - Beech, Poplar, Oak, Ash on the upland.

East. Sections 24 & 25 Random.

44:50 Swamp.

40.00 Tenn. Post.

80.90 Intersected 4:50 S.

West. True line Blazed.

40.45  $\frac{1}{2}$  Mile Post - N. Oak 36 S 62 E 11 - Maple 12 S 48 W 17 links - Maple,  
Elm & Oak in Swamp - Beech, Poplar & Oak on the upland.

North. Sections 23 & 24.

67:00 Swamp.

21.00 Branch 50 S 30 E.

31.10 Oak 20

40.00  $\frac{1}{2}$  Mile Post - Oak 13 N 7 W 8 - Maple 12 S 34 W 9 links.



Township N<sup>o</sup> 6 North Range N<sup>o</sup> 6 East of the Meridian Continued

52.28 Branch 15 W.  
 67.00 Upland to post.  
 80.00 Wide post - Beech 14 N 19 W 11 - Beech 23 S 77 E 24 links - Maple, Elm & Gum in the Swamp - Beech, Poplar, Oak & Gum on the Upland.

North Sections 22 & 23.

16.32 Beech 24.  
 40.00 1/2 mile post - Beech 10 S 35 W 20 - Hickory 14 N 33 W 25 links.

48.56 Hickory 18.

80.00 Wide post - Beech 12 N 11 W 8 - Beech 10 N 81 E 24 links - Level Rich Land - Beech, Poplar & Oak.

North Sections 21 & 22.

15.00 Beech 20.

40.00 1/2 mile post - Oak 20 S 4 E 42 - Elm 14 N 72 W 39 links.

74.00 W. Oak 36.

80.00 Wide post - Beech 10 N 66 E 8 - Beech 22 S 3 W 25 links - Level - Beech Oak, Poplar, Elm & Oak.

North Sections 20 & 21.

19.50 Elm 14.

28.00 Branch 10 E.

40.00 1/2 mile post - Beech 24 N 4 E 21 - Beech 8 S 25 E 26 links.

80.00 Wide post - Beech 10 S 31 E 36 - Beech 16 N 41 W 12 links - Level - Beech, Poplar, Elm & Oak.

November 27<sup>th</sup> 1806.

North Sections 19 & 20.

27.32 Oak 12.

40.00 1/2 mile post - Beech 13 N 27 W 10 - Oak 15 N 75 E 20 links.

42.00 Branch 10 W.

Townships N<sup>o</sup> 6 North Range N<sup>o</sup> 6 East of the Meridian Continued.

65.50 R. Oak 33.

80.00 Wide post - Beech 14 S 23 E 13 - Beech 8 N 52 W 10 links - Level - Beech, Poplar, Gum, Oak, & Oak - Some Maple.

West. Sections 18 & 19.

28.30 Beech 14.

40.00 1/2 mile post - Beech 16 S 54 E 16 - Sugar tree 16 S 57 E 16 links.

60.74 Boundary line - Gum 22 N 49 E 10 - Beech 18 S 56 E 35 - Level - Beech, Oak, Sugar tree, Poplar, Gum & Oak.

East. Sections 17 & 20 Random.

40.00 Gum. post.

79.00 1.00 N of post.

West. True line Blazed.

84.50 1/2 mile post - Beech 22 N 26 W 15 - Beech 14 S 47 E 38 links - Level - Beech, Poplar, Gum, Oak & Oak.

East. Sections 16 & 21 Random.

17.00 Branch 6 N 70 E.

36.50 Same S 40 E.

40.00 Gum. post.

57.38 Branch 20 S.

77.00 1.00 N of post.

West. True Line Blazed.

84.50 1/2 mile post - Beech 12 N 11 E 25 - Gum 16 S 20 W 12 links - Level - Beech, Poplar & Oak.

East. Sections 15 & 22 Random.

40.00 Gum. post.

80.00 Hit the post.



Township N<sup>o</sup> 6 North Range N<sup>o</sup> 6 East of the Meridian Continued.

West. True line blazed.  
40.00  $\frac{1}{2}$  mile post - Beech 22 S<sup>o</sup> 86 E 19 - Beech 8 S<sup>o</sup> 67 W 26 links - Level -  
Rich - Beech, Poplar, Ash & Oak.

East. Sections 14 & 23 Random.

28.75 Spring branch N 50 E.

40.00 Turn post.

42.50 Swamp.

56.12 Pond S.

West. Blazed back.

$\frac{1}{2}$  mile post - Beech 15 S<sup>o</sup> 18 E 9 - Beech 16 N 55 E 52 links - Beech,  
Poplar & Oak level.

East. Sections 13 & 24 Random.

40.00 Turn post.

50.50 Bottom to the post.

53.00 Branch 15 S.

61.00 Branch 20 S.

70.00 Branch 23 S 30 W.

80.50 Intersected S 50 E.

West. True line blazed.

40.25  $\frac{1}{2}$  mile post - Walnut 20 N 62 E 4 - Ash 14 S<sup>o</sup> 21 W 9 links - Level -  
Beech, Poplar, Oak, Ash & Walnut.

North sections 13 & 14.

21.88 Beech 20.

33.00 Spring Branch W.

40.00  $\frac{1}{2}$  mile post - Beech 18 N 60 W 24 - Beech 13 S<sup>o</sup> 7 E 16 links.

64.18 Ash 16.

65.00 Swamp to the post.

Township N<sup>o</sup> 6 North Range N<sup>o</sup> 6 East of the Meridian Continued.

80.00  $\frac{1}{2}$  mile post - Maple 15 N 52 W 18 - Maple 10 S 34 E 16 links - Beech, Poplar,  
& Oak on the upland - Maple, Elm, Ash & Gum in the Swamp.

November 28<sup>th</sup> 1806.

North Sections 14 & 15.

40.00  $\frac{1}{2}$  mile post - Beech 12 S<sup>o</sup> 33 E 27 - Beech 13 N 27 E 39 links.

61.25 Poplar 36.

64.50 Spring Branch E.

80.00  $\frac{1}{2}$  mile post - Beech 22 N 40 W 11 - Beech 13 S 59 W 45 links - Low bridges

Rich lowland - Beech, Poplar & Oak.

North Sections 15 & 16

11.00 Branch 12 S 30 W.

40.00  $\frac{1}{2}$  mile post - Hickory 16 S 20 E 9 - Oak 23 N 23 W 52 links.

52.50 Branch 6 S 40 E.

71.66 Gum 22.

80.00  $\frac{1}{2}$  mile post - Beech 14 N 39 E 22 - W. Oak 10 N 76 W 26 links - Level - Beech,  
Oak, Poplar & Gum.

North Sections 16 & 17.

8.50 Beech 18.

40.00  $\frac{1}{2}$  mile post - W. Oak 21 N 60 E 20 - Ash 8 N 10 E 30 links.

51.50 1 W. Oak 22.

80.00  $\frac{1}{2}$  mile post - Beech 10 N 38 E 8 - Gum 30 S 7 W 2.5 links - Level - Beech,  
Poplar, Gum, Oak & Ash.

North Sections 17 & 18.

29.00 Spring Branch W.

40.00  $\frac{1}{2}$  mile post - Beech 15 N 76 E 33 - Sugar tree 23 N 3 W 53.

40.25 Boundary line - Sugar tree 20 S 18 W 31 - Beech 12 N 75 E 37 links.

Low bridges - Beech, Poplar & Oak - Some Sugar tree.



Township N<sup>o</sup> 6, North Range, N<sup>o</sup> 6 East of the Meridian Continued

West. Sections 28 & 29.

23.18 Boundary line - Beech 12. S<sup>o</sup> 67 E 27 - Beech 13. N 66 E 41 links - Level  
Beech, Poplar, Ash, Maple, Gum & Oak.

North. Sections 28 & 29.

13.50 Boundary line - Beech 8. S<sup>o</sup> 23 E 13 - Hickory 10 N 89 E 8 links -  
Level - Beech, Poplar, Gum, Ash, Maple & Oak.

East. Sections 9 & 16 Random.

40.00 Gum. post.

72.50 Wet the post.

West. True line Blazed.

39.25 1/2 Mile post - Gum 2 N 43 E 14 - Beech 10. S<sup>o</sup> 47 W 26 links - Level -  
Beech, Poplar, Oak, Gum, Elm & Ash.

East. Sections 10 & 15 Random.

4.25 Branch 10 S.

40.00 Gum. post.

58.00 Branch 6 N 50 E.

79.10 1.25 S<sup>o</sup> of post.

West. True line Blazed.

39.55 1/2 Mile post - Beech 13. S<sup>o</sup> 23 W 10 - Beech 8 N 27 E 5 - Level - Beech  
Poplar & Oak.

November 29<sup>th</sup> 1806.

East. Sections 11 & 14 Random.

10.38 Spring Branch S.

40.00 Gum. post.

52.00 Branch 30 S.

72.12 Branch 50 S.

80.00 Wet the post - The last 25:00 Wet Bottom.

Township N<sup>o</sup> 6, North Range, N<sup>o</sup> 6 East of the Meridian Continued.

West. True Line Blazed.

40.00 1/2 Mile post - Beech 23. S<sup>o</sup> 62 W 41 - Beech 8. S<sup>o</sup> 21 E 29 links - Beech, Poplar,  
Maple, Elm & Ash.

East. Sections 12 & 13 Random.

22:50 Swamp.

33.50 Branch 10 S.

40.00 Gum. post.

73.50 Bottom to the post.

76.30 Dream S.

79.75 60 N of post.

West. True line Blazed.

39.87 1/2 Mile post - Beech 10 N 38 W 12 - Beech 12. S<sup>o</sup> 60 E 7 links - Maple, Elm &  
Ash in the Swamp - Beech, Poplar & Oak on the upland.

North. Sections 11 & 12.

11:00 Swamp.

35.00 Creek 60 S<sup>o</sup> 30 W and up it crossing it 7 times through Wet Bottom.

40.00 1/2 Mile post - Gum 33. S<sup>o</sup> 19 E 38 - Gum 9 N 58 W. 23 links.

30.00 Mile post - Maple 20 N 24 E 31 - Beech 24. S<sup>o</sup> 32 W 14 links - Wet Bottom  
Maple, Gum, Ash & Elm - Some Oak.

North. Sections 10 & 11.

1.50 Branch 6 E.

17.00 Branch 5 E.

24.38 Beech 24.

40.00 1/2 Mile post - Beech 16 N 39 W. 6 - Beech 12 N 46 E 24 links.

57.20 Oak 16.

70.00 Branch 5 E.



Township No. 6 North Range No. 6 East of the Meridian continued

10.00	1/2 mile post - Beech 24 S 45 E 20 - Beech 14 N 58 W 36 links - Low ridges Beech, Poplar, Ash & Oak.
North	Sections 9 & 10.
3.25	Branch 8 E.
40.00	1/2 mile post - Beech 14 N 51 W 17 - Gum 33 N 83 E 12 links.
38.25	H. Oak 33.
69.00	Indian Boundary line - Maple 20 S 31 W 22 - Gum 21 N 81 E 24 links - Level - Beech, Ash, Poplar & Oak.
West	Sections 3 & 10
27.50	Branch 8 S.
38.00	Branch 10 S.
40.00	1/2 mile post - Elm 20 N 60 W 28 - Beech 12 S 88 W 27 links.
58.50	Branch 6 S 40 E.
67.77	Boundary line - Beech 10 N 70 E 15 - Hickory 18 S 17 E 14 - Level Beech, Poplar, Hickory & Oak.
North	Sections 2 & 3.
5.00	Branch 20 E.
19.00	Ash 24.
40.00	1/2 mile post - Beech 24 S 58 E 20 - Elm 22 N 16 W 37 links.
42.00	Boundary line - Beech 18 S 22 W 50 - Beech 16 S 86 E 28 - Level - Beech, Poplar, Ash, & Oak.
East	Sections 2 & 11 Random.
26.38	Branch 20 S 50 E.
40.00	Tree post.
57.38	Branch 8 S.
78.38	Branch 50 S.
80.00	Hit the post.

Township No. 6 North Range No. 6 East of the Meridian continued.

West	True line blazed.
40.00	1/2 mile post - Beech 12 S 36 30 E 18 - Beech 21 N 69 W 14 links - Level - Beech, Poplar, Oak, Elm & Ash.
November 30 <sup>th</sup> 1806.	
East	Sections 1 & 12 Random.
4.00	Branch 12 S.
13.00	Upland.
33.38	Branch 12 S.
40.00	Tree post.
78.00	2:26 N of post.
West	True line blazed.
39.00	1/2 mile post - Beech 12 S 82 E 30 - Beech 12 N 97 E 28 links - Level - Beech, Poplar & Oak.
North	Sections 1 & 2.
5.00	Branch 50 S 30 W.
23.00	Upland.
31.38	Beech 16.
40.00	1/2 mile post - Beech 21 S 13 W 8 - Beech 16 N 9 E 24 links.
51.00	Branch 6 E.
68.08	Beech 16.
76.50	66 East of post - Poplar 33 S 25 E 24 - H. Oak 24 S 43 E 27 - Level Beech, Oak & Poplar.
Township No. 7 North Range No. 6 East n. mer.	
North	Sections 35 & 36 Town 7 Range 6.
16.00	Indian Boundary line - Beech 7 S 27 E 14 - Gum 18 S 14 W 20 links - Level - Beech, Oak & Poplar.

Surveyed by  
Saml. Fowler  
Deputy Surveyor



1/2	East	Line continued.
10.00	Brushy Pond	
40.00	Set a temporary half mile post.	
45.00	East side of the Pond	
80.00	Set a temporary mile post. Land flat. Timber Beech & Maple	
1/2	East	Line continued.
20.00	Brook 100 lks wide. course South	
25.00	Same. course N. E.	
31.50	Same. course S. E.	
36.50	Same. course N. E.	
39.00	Same. course S.	
40.00	Set a temporary half mile post	
80.00	Set a temporary mile post. Land flat	
1/2	East	Line continued.
40.00	Set a temporary half mile post	
55.00	Brushy Pond 20 chains wide	
78.00	Intersected the North & South line 4 chains North of Town corner. Land the same.	
West	On true line. Between Towns 586 in Range East of 2nd Meridian. <i>S. 13th Range, T. 6 N. R. 6 E. Corrected.</i>	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which an Ironwood 6 inches dia. bears S 16 N 23 lks	
80.00	Set the temporary mile post on true line for the corner of Sec. 35 & 36. T. 6 N. R. 6 E. from which a Beech 12 inches dia. bears N 40 E 18 lks. Ironwood 6 inches dia. bears S 40 W 24 lks.	

West	Line continued.	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which a Beech 10 inches dia. bears S 76 E 22 lks. Beech 24 inches dia. bears East 17 links.	
80.00	Set the temporary mile post on true line for the corner of Sec. 31 & 35. T. 6 N. R. 6 E. from which a Hickory 10 inches dia. bears N 7 W 47 lks. Iron Elm 12 inches dia. bears N 55 W 8 lks.	
West	Line continued.	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which a W. Ash 12 inches dia. bears N 41 E 15 lks. W. Ash 10 inches dia. bears S 28 W 14 links.	
80.00	Set the temporary mile post on true line for the corner of Sec. 33 & 34. T. 6 N. R. 6 E. from which a Spruce 24 inches dia. bears N 47 W links. Spruce 30 inches dia. bears S 50 E 10 links.	
West	Line continued.	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which a Maple 20 inches dia. bears N 18 E 15 lks. Maple 12 inches dia. bears S 15 W 38 lks.	
80.00	Set the temporary mile post on true line for the corner of Sec. 32 & 33. T. 6 N. R. 6 E. from which a Beech 10 inches dia. bears N 68 E 24 links. Beech 10 inches dia. bears N 88 W 23 links.	
West	Line continued.	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which a W. Oak 24 inches dia. bears S 55 E 3 lks. Elm 10 inches dia. bears N 22 E 17 lks.	
80.00	Set the temporary mile post for the corner of Sec. 31 & 32. T. 6 N. R. 6 E. from which a W. Oak 16 inches dia. bears S 56 W 6 lks. Spruce 12 inches dia. bears N 8 E 18 lks.	
West	Line continued.	
40.00	Set the temporary half mile post on true line for 1/4 Sec. corner from which a Beech 12 inches dia. bears S 52 W 4 lks. Poplar 40 inches dia. bears N 52 E 18 links.	
78.00	Town corner.	

Oct 16th 1866.



## E. Boundary of T. 5 N. R. 6 E.

Continued

For lines on E. side of Sec. 25, T. 5, N. R. 6 E. See Page 176.

Sec 25

- North  
 6.50 Brook 10 Links wide course West.  
 40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 83 E 6 lks., a Hickory 12 Inches dia. bears N 56 W 23 lks.  
 80.00 Set post corner of Sec. N. 24 W 13. T. 5 N. R. 6 E. from which a Beech 12 Inches dia. bears S 70 E 22 links.  
 In gum 10 Inches dia. bears N 41 W 15 links. Land the same.

North

Continued

Sec 13

- 40.00 Set a half mile post from which a Beech 10 Inches dia. bears N 12 W 18 links. Beech 10 Inches dia. bears S 34 E 12 links.  
 80.00 Set post corner of Sec. N. 12 W 13. T. 5 N. R. 6 E. from which a Mt. Ash 15 Inches dia. bears N 10 E 18 links.  
 In Beech 10 Inches dia. bears N 53 W 10 links. Land same quality but brushy.

North

Continued

Sec 12

- 9.00 Brushy Pond.  
 40.00 Set a half mile post from which a Beech 10 Inches dia. bears S 66 E 17 lks., Mt. Ash 20 Inches dia. bears N 82 W 19 lks.  
 80.00 Set post corner of Sec. N. 12 W 12. T. 5 N. R. 6 E. from which a Beech 10 Inches dia. bears S 25 W 5 links.  
 In Beech 8 Inches dia. bears N 9 E 30 links. Land the same quality.

North

Continued

Sec 1

- 37.50 Brook 200 links wide course South, West.  
 40.00 Set a half mile post from which an Elm 10 Inches dia. bears North 2 lks. Beech 6 Inches dia. bears S 23 W 10 links.  
 80.00 In the post corner of Towns N. 5, 5, 6 W 6 in Ranges 687 that Mr. Holmes established.  
 Beech 36 N 10 W 10 + Beech 218 S 31 E 42 lks.

## E. Boundary of T. 6 N. R. 6 E.

Between Town 6, 6 in Ranges 687 Measuring

Sec 36

- North  
 40.00 Set a half mile post from which a Poplar 8 Inches dia. bears N 57 W 10 links. Poplar 6 Inches dia. bears S 31 E 11 links.  
 77.00 Brook 10 Links wide course North, West.  
 80.00 Set post corner of Sec. N. 25 W 36. T. 6 N. R. 6 E. from which a Beech 10 Inches dia. bears North 41 links.  
 In Elm 48 Inches dia. bears S 75 W 32 links. Good farming land Timber Beech.

North

Continued

Sec 25

- 40.00 Set a half mile post from which a Beech 20 Inches dia. bears S 31 W 7 links. A Sugar tree 8 Inches dia. bears N 55 W 4 lks.  
 80.00 Set post corner of Sec. N. 24 W 25. T. 6 N. R. 6 E. from which a Beech 12 Inches dia. bears N 19 W 10 links.  
 In Beech 10 Inches dia. bears S 78 E 24 links. Land the same.

North

Measurement continued

Sec 24

- 40.00 Set a half mile post from which a Beech 10 Inches dia. bears N 13 W 12 lks. Beech 8 Inches dia. bears S 57 E 7 lks.  
 44.50 Brook 10 links wide course North, East.  
 76.00 Brook 12 links wide course South, West.  
 80.00 Set post corner of Sec. N. 13 W 24. T. 6 N. R. 6 E. from which a Beech 15 Inches dia. bears S 82 E 14 links.  
 In Beech 8 Inches dia. bears S 71 W 9 lks. Land the same.

North

Continued

Sec 13

- 40.00 Set a half mile post from which a Beech 10 Inches dia. bears S 79 E 6 links. Beech 8 Inches dia. bears N 32 E 21 links.  
 68.00 Brook 12 lks wide course West.  
 80.00 Set post corner of Sec. N. 13 W 13. T. 6 N. R. 6 E. from which a Mt. Ash 20 Inches dia. bears N 40 W 4 links.  
 In Beech 20 Inches dia. bears N 22 E 10 links. This mile over flat land. Timber Beech.

North

Continued

Sec 12

- 40.00 Set a half mile post from which a Beech 10 Inches dia. bears N 76 W 2 links. Beech 10 Inches dia. bears N 83 E 12 1/2 links.  
 54.00 Brook 5 links wide course North, East.  
 80.00 Set post corner of Section N. 12 W 12. T. 6 N. R. 6 E. from which a Beech 20 Inches dia. bears S 25 W 23 links.  
 In gum 15 Inches dia. bears S 46 E 7 lks. Land the same.

North

Continued

Sec 1

- 40.00 Set a half mile post from which a Beech 10 Inches dia. bears S 25 E 6 lks. Beech 12 Inches dia. bears N 88 E 23 lks.  
 80.00 In the post corner of Towns 6, 6, 7 W 7 that Mr. Holmes established on this line. Over good farming land. In Poplar  
 Beech & Oak  
 Beech 16 S. 29 W 12  
 N. 47, E. 20.



T 19 N R 7 E.

6	345	5	346	4	345	3	343	2	342	1
7	348	8	346	9	340	10	341	11	341	12
13	347	17	346	16	344	15	343	14	341	13
19	347	20	345	21	344	22	343	23	341	24
30	347	29	345	28	343	27	342	26	340	25
31	346	32	345	33	343	34	342	35	340	36

measured page 319

T 20 N R 7 E.

6	350	5	348	4	347	3	346	2	344	1
7	350	8	348	9	347	10	345	11	344	12
13	350	17	348	16	346	15	345	14	344	13
19	349	20	348	21	346	22	345	23	344	24
30	349	29	347	28	346	27	345	26	343	25
31	349	32	347	33	346	34	345	35	343	36

Township N. 6 North, Range N. 6 East 2<sup>nd</sup> Mer.

North of old Indian Boundary  
Subdivisions - var. 6:30

North Between Sec: 2 & 3  
35.21 Intersected North Boundary at the Post

North Between Sec: 7 & 10  
11.00 Set post corner to Sec: 3, 4, 9, 10  
Beech 6 S 80 E 10  
do 18 S 80 N 23

East Between Sec: 3 & 10 On Random  
16.59 Intersected corner at Boundary  
Sund. Rolling 2<sup>nd</sup> water, Beech, Oak, Spruce, Dogwood, Pine

West Corrected  
16.59 Section corner  
North Between Sec: 3 & 4  
23.50 St. Beech 18 in. diam.  
40.00 q. Sec. corner Beech 10 S 42 E 11  
do 12 S 46 N 25

63.40 St. Beech 15 in. diam.  
75.67 Intersected North Boundary 1.28th East of Post  
Beech 18 S 36 N 78  
do 10 S 29 E 38

Sept. 10<sup>th</sup> 1849  
Sund. level 2<sup>nd</sup> water, Beech, Oak, Spruce, Dogwood, Pine  
North Between Sec: 8 & 9  
26.50 q. Sec. corner Beech 18 S 38 E 13  
do 8 S 46 N 17

64.50 Entered Swamp  
66.50 Set post corner to Sec: 4, 5, 8, 9  
in Swamp - No bearing trees

East Between Sec: 4 & 9 On Random  
39.75 Left Swamp  
40.00 Temporary q. Sec. post  
81.68 Intersected East line 53th North of post  
swampy & wet land, Maple, Willow, Elm, Beech, etc.

West Corrected  
40.54 q. Sec. corner Maple 12 S 18 N 12  
do 16 S 54 E 16

41.33 Entered Swamp  
81.08 Section corner  
North Between Sec: 4 & 5  
25.00 Left Swamp  
40.00 q. Sec. corner Beech 12 S 40 E 4  
Maple 18 S 45 N 28

58.70 St. Beech 16 in. diam.  
Intersected North Boundary  
West of post where set post corner to Sec: 4 & 5

West Between Sec: 18 & 19  
14.76 In post corner to Sec: 13 & 14 Known to Range 5 E

North Between Sec: 17 & 18  
21.60 St. Sugar 16 in. diam.  
39.15 Set post corner to Sec: 7, 8, 17, 18  
Sugar 10 S 29 E 15  
do 10 S 18 N 20

Sund. level 2<sup>nd</sup> water, Beech, Oak, Spruce, Dogwood, Pine  
East Between Sec: 8 & 17 On Random  
40.00 Temporary q. Sec. post  
58.76 To a point 1.70th North of corner on boundary  
Sund. level 2<sup>nd</sup> water, Beech, Oak, Spruce, Dogwood, Pine  
Michoxy - 11th Spruce, Dogwood



West	Corrected Between Sec. 8 & 17	75.50	down the River to a post on the line between
16.77	q. Sec. corner Beech 10 St 42 E 13		Sections 1 & 6 in Township 6 Ranges 5 & 16
	R. Oak 30 St 77 N 27		on opposite side of River from the Sec. corner
58.76	Section corner		North Between Sec. 8 & 16
West	Between Sec. 8 & 18	22.30	St. Beech 15 in. diam.
40.00	Through a large improvement	40.00	q. Sec. corner Oak Elm 16 St 8 N 18
	q. Sec. corner Maple St 91 E 54		Beech 18 St 85 E 51
	W. Oak St 20 N 67	61.57	St. Beech 12 in. diam.
60.28	St. Beech 12 in. diam.	72.10	Intersected North Boundary 18 1/2 m. Set post
73.42	Intersected West Boundary 6.5 m. North of post		corner to Sec. 8 & 16 W. Oak 10 St 25 E 21
	W. Elm St 84 E 23		do 6 St 43 N 35
11.11	Dickory St 59 N 5		
	First 1/2 mile over cleared land 2nd water last 1/2 mile		Meanders of the East Fork of White River
	Bottoms Beech Sugar Walnut White Oak 1/2 m. N. of line		Commenced on Town line on West bank of River
North	Between Sec. 8 & 18		Courses Distances Remarks
20.90	St. Beech 18 in. diam.	South	10.50
40.00	q. Sec. corner Beech 12 St 59 E 6	St 16 E	6.90
	W. Oak 12 St 57 N 19	St 71 N	10.85
67.63	St. Beech 12 in. diam.	St 58 N	10.50
80.00	Set post corner to Sec. 8, 16, 17, 18	St 41 N	7.21
	Oak Oak 24 St 55 N 17	St 84 N	14.30
	Beech 20 St 76 E 45	St 45 N	7.30
	Land holding 2nd water Beech W. Oak 1/2 m. N. of line	St 26 N	5.00
East	Between Sec. 8 & 18 on Prudence	St 20 E	11.17
40.00	Temporary q. Sec. post	St 45 E	5.00
72.50	Intersected Swamp	St 61 E	8.84
81.50	Intersected East line 1.05 m. North of post	St 31 E	12.50
	Wet Swampy land Maple Gum Beech Dickory	St 54 E	6.00
West	Corrected	St 30 E	3.25
40.75	q. Sec. corner Gum 16 St 34 N 10	St 10 N	6.57
	do 10 St 53 E 6	St 43 N	8.00
81.50	Section corner		
West	Between Sec. 8 & 17		do St. post on West Bank of River
34.75	do East Bank of East Fork of White River		on Range line between Sec. 8 & 16
	Buckeye 10 St 33 E 8		do 6 Ranges 5 & 16
	Sugar 20 St 43 E 30		

Courses	Distances	Remarks
St 45 E	20.00	Commenced at a Section corner on East
		Side of River on Range line between Ranges
		5 & 16 Town 6 - Chance
		do a post on the East side of River on line
		from last corner between Sec. 8 & 17, St. Buckeye & Sugar
St 42 E	7.22	
St 23 E	5.93	
St 15 N	7.58	
St 14 N	28.00	
St 54 N	4.31	
St 5 N	11.50	
St 74 E	8.74	
St 66 E	7.30	
St 41 E	3.50	
St 61 E	5.00	
St 75 E	13.63	
St 61 E	17.00	
		do a post on East side of River on
		Town line between Towns 6 & 7 Range 6 E
		St. 13 <sup>th</sup> 1819
		Surveyed by B. H. Morris D. L.